

S U P P L E M E N T.

THE following species of Tenthredinidæ, Cynipidæ, Figitidæ, Chalcididæ, Trigonalidæ, and Proctotrupidæ have been described or noticed by me since the preceding pages were published*. Some errata in the published text and plates are also corrected here.

STRONGYLOGASTER (p. 4).

11. **Strongylogaster melanostoma.**

Strongylogaster melanosoma, anteà, p. 10.

The specific name of this species is incorrectly printed on p. 10.

16. **Strongylogaster leucostoma.**

Strongylogaster leucosoma, anteà, p. 12.

29. **Strongylogaster rogenhoferi.**

Strongylogaster rogenhoferi, Camer. Trans. Ent. Soc. Lond. 1884, p. 483¹.

Hab. MEXICO, Orizaba (*Bilimek*, in *Mus. Vind. Cæs.*¹).

30. **Strongylogaster fumipennis.** (Tab. XX. fig. 15.)

Strongylogaster fumipennis, Camer. Trans. Ent. Soc. Lond. 1884, p. 484¹.

Hab. MEXICO¹.

BLENNOCAMPA (p. 31).

7. **Blennocampa bicolorata.**

Blennocampa bicolorata, Camer. Trans. Ent. Soc. Lond. 1884, p. 483¹.

Hab. MEXICO, Chapultepec and Orizaba (*Bilimek*, in *Mus. Vind. Cæs.*¹).

EMPHYTUS (p. 35).

1. **Emphytus aztecus.**

Emphytus aztecus, Camer. Mem. & Proc. Manch. Lit. and Phil. Soc. i. p. 163 (1888)¹.

Hab. MEXICO, Orizaba (*F. D. G. and H. H. Smith*¹).

* [The types of the species marked with an asterisk cannot now be found.—ED.]