

The male of this species differs from the corresponding sex of all others of the genus known to me in having the tuft of hairs on the underside of the inner margin of the primaries black instead of yellowish. Hopffer's figure represents a female; the male has considerably more blue on the secondaries above.

Sect. 2. *Alis posticis rufo fasciatis*, Westw.

3. *Coronidia egina*.

Coronis egina, Boisd. in Règn. Anim., ed. Crochard, Atlas, Ins. t. 145. f. 4¹; Walk. Cat. i. p. 38²; Chenu, Encycl. d'Hist. Nat., Pap. i. p. 234, f. 399³; Guen. Sp. gén. des Lép. ix. p. 21, Uran. t. 1. f. 3 (♂)⁴.

Coronidia egina, Westw. Trans. Zool. Soc. x. p. 533⁵.

Hab. MEXICO⁴, Coatepec (*coll. Schaus*); PANAMA, Bugaba (*Champion*).—GUIANA, Essequibo River; BRAZIL^{2 3 4 5}.

The specimen captured by Mr. Champion in Chiriqui agrees well with Guenée's figure, which was taken from a Mexican example. It is quite possible that the Central-American examples will prove to be specifically distinct from those from South America, but at present I have not sufficient material to be able to form a decided opinion. If this should ultimately prove to be the case, I propose the name *gueneei* for the Central-American insect.

4. *Coronidia canace*. (Tab. XLI. fig. 13, ♀.)

Coronis canace, Hopff. Neue oder wenig. bek. Schmett. Heft 2, p. 4, t. 3. f. 6¹.

Coronidia canace, Westw. Trans. Zool. Soc. x. p. 533².

Hab. GUATEMALA (*Salvin, mus. D.*), Coban in Vera Paz (*Conradt*); COSTA RICA (*Boucard, mus. D.*); PANAMA, Chiriqui (*Arcé, mus. D.*), Volcan de Chiriqui 2000 to 3000 feet (*Champion; Ribbe, mus. Staudinger*).—ECUADOR; BRAZIL^{1 2}.

Varies slightly in the colour of the red band on the secondaries, this band being brighter in some specimens than in others. We figure a female example from Chiriqui.

5. *Coronidia nicaraguana*.

Coronidia nicaraguana, Westw. Trans. Zool. Soc. x. p. 534, t. 88. fig. 3¹.

Hab. NICARAGUA (*Belt*¹).

The only specimen known to me of this species is the type in the Oxford Museum.

6. *Coronidia æola*.

Coronidia æola, Westw. Trans. Zool. Soc. x. p. 535, t. 88. ff. 1, 2¹.

Hab. GUATEMALA¹.—BRAZIL¹; ANTILLES¹.

We include this species in our fauna upon the authority of Prof. Westwood, who states that there is a specimen of it from Guatemala in the Oxford Museum.