	Plate.	Fig.	Page.
Toxotrypana curvicauda *, ♀	X.	2	379
Rhopalomera sp.	X.	3	379
Rhinotora sp., ♂ (head)	X.	4	380
Stictomyia longicornis, ♀	X.	5	380
Stenopterina mexicana (wing)	X.	6	380
—— alligata, ♀ (wing)	X.	7	381
Rivellia occulta (wing)	X.	8	382
—— micans, ♂ (wing)	X.	9	382
—— submetallica, ♂ (wing)	X.	10	382
—— conjuncta (wing)	X.	11	383
—— connecta, ♂ (wing)	X.	12	383
—— flexuosa, ♂ (wing)	X.	13	383
—— pilosula, ♀ (wing)	X.	14	384
—— longicornis (wing)	X.	15	384
Mischogaster nitidipennis, ♂	X.	16	385
Richardia elegans	X.	17	386
—— concinna (wing)	X.	18	387
Paneryma elongata	X.	19	388
Cyrtometopa cinctella	X.	20	389
Stenomacra guerini (wing)	X.	21	389
Automola atomaria (wing)	X.	22	390
Amphicnephes stellatus (wing)	X.	23	390
Tetanops vittifrons	X.	24	391
—— rufifrons, ♀ (head)	X.	25	391
Anacampta latiuscula, ♂ (wing)	X.	26	392
Ostracocœlia mirabilis, ♂ (wing)	X.	27	392
—— ——, ♀ (wing)	X.	28	392
Xanthacrona bipustulata, ♀	X.	29	393
Pterocalla fenestrata (wing)	X.	30	394
—— quadrata, ♀ (wing)	XI.	1	394
—— ocellata, ♂ (wing)	XI.	2	395
—— tarsata, ♂ (wing)	XI.	3	395
—— ——, ♀ (wing)	XI.	4	395
—— costalis, ♂ (wing)	XI.	5	396
—— ——, ♀ (wing)	XI.	6	396
Euxesta laticeps, ♀ (wing &c.)	XI.	7	397
—— nigricans, ♂ (wing)	XI.	8	397
—— latifasciata, ♂ (wing)	XI.	9	397
—— fascipennis (wing)	XI.	10	398
—— major, ♂ (wing)	XI.	11	398
—— alternans (wing)	XI.	12	399
—— stigmatias (wing &c.)	XI.	13	399
—— conserta, ♂ (wing)	XI.	14	399
Hexachæta eximia (wing)	XI.	15	402
—— amabilis (wing)	XI.	16	403
—— socialis (wing)	XI.	17	403
—— pulchella, ♀ (wing)	XI.	18	403
—— rupta, ♀ (wing)	XI.	19	404
—— splendida, ♂ (wing)	XI.	20	404
Anastrepha fraterculus (wing)	XI.	21	404
—— tripunctata (wing)	XI.	22	405
Plagiotoma obliqua (wing)	XI.	23	405
Spilographa striata, ♀ (wing)	XI.	24	406
—— obfuscata, ♂ (wing)	XI.	25	406
—— latifrons, ♂ (wing)	XI.	26	407
—— rufata (wing)	XI.	27	407
—— concolor (wing)	XI.	28	408
Œdaspis atra (wing)	XI.	29	408
Rhagoletis striatella, ♀ (wing)	XI.	30	408
Polionota mucida, ♂ (wing)	XII.	1	410
—— radians, ♀ (wing &c.)	XII.	2	410
Aciura insecta (wing)	XII.	3	410
Polymorphomyia pilosula (wing)	XII.	4	411
Blepharoneura fulvicollis (wing)	XII.	5	411
—— femoralis (wing)	XII.	6	412
—— quadristriata, ♂ (wing)	XII.	7	413
—— biseriata, ♀ (wing)	XII.	8	413
Eutreta sparsa (wing)	XII.	9	413
—— patagiata (wing)	XII.	10	414
Acrotænia tarsata, ♂ (wing &c.)	XII.	11	414
—— apiata (wing)	XII.	12	415
—— incisa (wing)	XII.	13	415
Baryplegma gilva, ♀ (wing)	XII.	14	416
Ensina humilis (wing)	XII.	15	417
—— peregrina (wing)	XII.	16	417
—— luculenta, ♂ (wing)	XII.	17	417
—— conspersa, ♂ (wing)	XII.	18	417
—— despecta, ♀ (wing)	XII.	19	418
—— mediana, ♂ (wing)	XII.	20	418
—— guttularis, ♀ (wing)	XII.	21	418
Tephritis finalis (wing)	XII.	22	419
—— staminea, ♂ (wing)	XII.	23	419
—— subradiata, ♂ (wing)	XII.	24	420
—— cancellata (wing)	XII.	25	420
—— fibulata (wing)	XII.	26	421
—— obsoleta, ♀ (wing)	XII.	27	421
—— semifusca, ♂ (wing)	XII.	28	422
—— intricata, ♀ (wing)	XII.	29	422
Carphotricha culta (wing)	XII.	30	422
HIPPOBOSCIDÆ.			
Olfersia vulturis (head &c.)	XIII.	1	429
—— coriacea (head &c.)	XIII.	2	430
—— angustifrons (head &c.)	XIII.	3	430
Ornithomyia avicularia (wing)	XIII.	4	431
—— robusta	XIII.	5	431
—— pilosula (head &c.)	XIII.	6	432

* The specific name is incorrectly written *curvicanda* on the Plate.