


April 29, 1898, on "trueno" (*Townsend*); Mexico city, April 30, 1898, on ash (*Townsend*); Amecameca (*Koebele*); Mixcoac (*Koebele*).



Chrysomphalus nigropunctatus, Ckll.



Chrysomphalus nigropunctatus, Ckll.

15. *Chrysomphalus lilacinus*.

Aspidiotus lilacinus, Ckll. Ann. & Mag. Nat. Hist., July 1898, p. 26.

Hab. MEXICO: Nogales, on black oak (*Koebele*); also on *Quercus undulata*. Mouth of San Diego Cañon, Sierra Madre, State of Chihuahua, on live oak, May 22, 1899 (*Townsend*).

16. *Chrysomphalus calurus*.

Aspidiotus calurus, Ckll. Ann. & Mag. Nat. Hist., June 1898, p. 440.

Hab. MEXICO: Orizaba (*Koebele*); Oaxaca (*Koebele*).

XEROPHILASPIS, Ckll.

This was named as a subgenus of *Aspidiotus*, but it seems nearer to *Aonidia*.

1. *Xerophilaspis prosopidis*.

Aspidiotus prosopidis, Ckll. Psyche, Dec. 1895, Suppl. p. 15.

Hab. MEXICO: Hermosillo, on *Prosopis juliflora*, April 24, 1897 (*Koebele*).

Also occurs at Tucson, Arizona (*Toumey and Cockerell*), and at Phoenix (*Cockerell*).

PSEUDODIASPIS, Ckll.

1. *Pseudodiaspis dentilobis*.

Aspidiotus dentilobis, Ckll. Ann. & Mag. Nat. Hist., June 1898, p. 438.

Hab. MEXICO: Cuautla (*Koebele*).

COMSTOCKIELLA, Ckll.

1. *Comstockiella sabalis*, var. *mexicana*.

Comstockiella sabalis (Comst.), var. *mexicana*, Ckll. Canad. Entom. 1897, p. 267.

Hab. MEXICO: region near Mazatlan.

FIORINIA, Targ.-Tozz.

1. *Fiorinia fioriniæ*.

Diaspis fioriniæ, Targ.-Tozz. Studi sulle Cocciniglie, 1867, p. 14.

Hab. MEXICO: in quantity on a coco-nut palm from Mexico (Mazatlan?), quarantined by Mr. Craw at San Francisco, Febr. 5, 1899.