

DAMASIPPUS, Stål.

Damasippus, Stål, Rec. Orth. iii. pp. 60, 101 (1875); Redtenbacher, op. cit. i. p. 147 (1906).

Conspectus specierum.

1. Elytra campo antico viridi, postico fusco vel fulvo.
2. Femora 4 postica tota fusco-nigra *D. fuscipes*, Redt.
- 2'. Femora tota vel maxima parte pallida, viridi-olivacea *D. westwoodi*, Stål.
- 1'. Elytra tota fusco-nigra vel campo antico saltem fusco *D. striatus*, Redt.

1. **Damasippus fuscipes**, Redt.

Damasippus fuscipes, Redtenbacher, op. cit. i. p. 147 (1906).

Hab. PANAMA, Chiriqui (*Mus. Vienna*), Bugaba (*Champion, in coll. Godman & Salvin*: 1 ♂).

2. **Damasippus westwoodi**, Stål.

Damasippus westwoodi, Stål, Rec. Orth. iii. p. 101 (1875); Redtenbacher, op. cit. i. p. 148 (1906).

Hab. PANAMA (*Mus. Stockholm*), Bugaba (*Champion, in coll. Godman & Salvin, teste Redtenbacher*).—COLOMBIA.

I can find no specimen of this species in the collection.

3. **Damasippus striatus**, Redt. (Tab. VIII. figg. 11 *a*, ♂; 11 *b*, ♀.)

Damasippus striatus, Redtenbacher, op. cit. i. p. 148 (1906).

Hab. PANAMA, Chiriqui (*Mus. Vienna*).—COLOMBIA.

PRISOPUS, Serv.

Prisopus, Serville, Enc. Méth. x. p. 444 (1825); Redtenbacher, op. cit. i. p. 152 (1906).

1. **Prisopus berosus**, Westw.

Prisopus berosus, Westwood, Cat. Phasm. p. 168, t. 20. fig. 7 (1859); Redtenbacher, op. cit. i. p. 153 (1906).

Hab. MEXICO (*Mus. Geneva, Mus. Vienna*), Temax in N. Yucatan (*Gaumer*); GUATEMALA, Los Diamantes, Pacific slope (*Champion*); SALVADOR (*Mus. Vienna*); PANAMA (*Mus. Brit., Mus. Oxford*) [*in coll. Godman & Salvin*: 2 ♂♂, 1 ♀].