

SUBFAM. 2. CHONDRACANTHINÆ.—Antennæ anticæ graciles vel perbreves. Pedes thoracis postici breviter et crassè ancorales.

G. CHONDRACANTHUS, *De la Roche*; LERNANTHROPUS, *Blainville*; LERNENTOMA, *Blainville*; CYCNUS, *Edw.*

SUBFAM. 3. CLAVELLINÆ.—Antennæ anticæ obsoletæ. Pedes thoracis postici crassi et breves.

G. CLAVELLA, *Oken*; TUCCA, *Kr.*; PENICULUS, *Nordmann*; ÆTHON, *Kr.*

FAM. II. ANCORELLIDÆ.*

Antennæ posticæ feminarum ad apicem et sæpe per latera connatæ et disco ancorali confectæ.

SUBFAM. 1. ANCORELLINÆ.—Antennæ posticæ feminarum per latera usque ad basin connatæ.

G. ANCORELLA, *Cuvier*.

SUBFAM. 2. LERNÆOPODINÆ.—Antennæ posticæ feminarum versus apicem connatæ tantum.

G. LERNÆOPODA, *Kr.*; BRACHIELLA, *Cuvier*; ACHTHERES, *Nordmann*; TRACHELIASTES, *Nordmann*; BASANISTES, *Nordmann*.

FAM. III. PENELLIDÆ.†

Pedes obsoleti. Caput 2-4 appendicibus brevibus non articulatis munitum.

SUBFAM. 1. PENELLINÆ.—Pedes pauci rudimentarii vix obsoleti.

G. PENELLA, *Cuvier*; LERNEONEMA, *Edw.*

SUBFAM. 2. LERNEOCERINÆ.—Pedes omnino obsoleti.

G. LERNEOCERA, *Blainville*; LERNÆA, *Linn.*

* *Lernæopodiens*, *Edw.*, *Crust.*, iii. 505; *Anchoracarpacea*, *W. Baird*, *Brit. Entomost.*, 331; *Ancorellidæ* is a more euphonious and more suggestive word than the preceding.

† *Lerneocérens*, *Edw.*, *Crust.*, iii. 521; *Anchoraceracea*, *W. Baird*, *Brit. Entomost.*, 338. The name above adopted is that proposed by *Burmeister*, the last vowel only being changed.